

TEST REPORT NO 476615/23/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLNUTRITION ALLDEYNN SUNROSE 120 tab Batch: AD230510 Expiry date: 31.05.2025
Sample reception date:	07.09.2023	Sample status: no objections Sample received from the Client
Start of analysis	11.09.2023	
End of analysis	13.09.2023	
Test report date	13.09.2023	

Test Method	Unit	Result
* Content of elements PN-EN 15763:2010		
Lead (Pb)	mg/kg	0,032
Cadmium (Cd)	mg/kg	0,011
Mercury (Hg)	mg/kg	0,0015

Authorized by:
Patrycja Galera, Senior Analysis Specialist, Spectrometry Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Chwaszczyńska 180, 81-571 Gdynia

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider

THE END OF THE REPORT

TEST REPORT NO 353620/22/GDY

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: ALLDEYNN SUNROSE 120 tab Batch: AD220605 Production date: 30.06.2022 Expiry date: 30.06.2024
Sample reception date:	29.08.2022	Sample status: no objections Sample received from the Client
Start of analysis	10.08.2022	
End of analysis	08.09.2022	
Test report date	08.09.2022	

Test Method	Unit	Result
* Vitamin E (α-tocopherol) ¹⁾ PB-40/HPLC ed. III of 28.02.2009		
Vitamin E (as α-tocopherol)	mg/tablet	8,15
Vitamin E (α-tocopherol) as tocopherol acetate	mg/tablet	8,95
* Vitamin C ¹⁾ PB-135/HPLC ed. II of 15.09.2015		
	mg/tablet	26,9
* Vitamin A ^{1) 3)} PB-40/HPLC ed. III of 28.02.2009		
Vitamin A (retinol)	µg/tablet	< 0,05 (0,05 ± 0,01)
Vitamin A (retinol) as retinyl acetate	µg/tablet	< 0,06 (0,06 ± 0,01)
* Zinc (Zn) ¹⁾ PB-223/ICP ed. III of 30.06.2022		
	mg/tablet	2,30
Copper (Cu) ^{2) 1)} PB-223/ICP ed. III of 30.06.2022		
	mg/tablet	1,24 ± 0,25
* # Beta-carotene MSZ EN 12823-2:2000		
	µg/tablet	1046
Vitamin A (sum of retinol and beta-carotene as retinol activity) ¹⁾ Calculated		
	µg/tablet	174

- The average weight of tablet declared by the Client: 0,4927g.
- The given result is not accredited. Range of accreditation: (0,025 - 250) mg/kg.
- The lower limit of the measuring range of the accredited method, which is also the limit of quantification set by the Laboratory.

Test: Beta-carotene was performed in laboratory with an accreditation number NAH-1-1666/2019

Authorized by:
 Ewa Ostrach-Grzybowska, Analysis Expert, Vitamin Analysis Laboratory
 Katarzyna Szpinda, Analysis Expert, Spectrometry Laboratory
 Subcontracted test results are authorised by persons authorised by the external provider.
 The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.
 Laboratory address:

TEST REPORT NO 353620/22/GDY

Chwaszczyńska 180, 81-571 Gdynia

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor $k=2$ at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited

Test performed by external provider