

Analytical report AR-22-RE-008659-01

Sample code 122-2022-00003814

Issue date 04.02.2022

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
* Type of sample	Omega 3 strong 90 kap 005-32419-2841675
* Prescriber	SFD S.A.
* Purchase order date	12.01.2022
* Client Purchase order nr.	1
Transport by	Courier
* Sampling Person	Principal
* Purpose of the testing	non-specific
* Type of sampling	to guarantee its representativeness
Reception date	14.01.2022
* Batch number	2021676
* Best before date	30.11.2023
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
* Client sample code	Omega 3 strong
Start analysis	20.01.2022
End Analysis	03.02.2022

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
DJ510	Tablet weight (#)	Ph. Eur. 3th Ed., 1997, 2.9.5, Gravimetry	1 ,39	g/Tablet	
J7142	Anisidine value (A)	§ 64 LFGB L 13.00-15:2018-06 [DE Food], Spectrophotometry	9 ,3		
JJO15	Totox (cal.: 2x POZ + AnZ) (#)	Obliczeniowa, Calculation	19 ,7		
JK04T	Peroxid value (A)	§ 64 LFGB L 13.00-40:2012-01 [DE Food], Potentiometry	5 ,2	meqO2/kg	

KT02C	Mercury (Hg) (A)	LS-PP-CH-30, AAS-AMA	<0 ,01	mg/kg	
KT0A2	Cadmium (Cd) (A)	LS-PP-CH-85, ICP-MS	<0 ,1	mg/kg	
KT0A3	Lead (Pb) (A)	LS-PP-CH-85 , ICP-MS	<0 ,3	mg/kg	
UD003	Total fat (A)	EC 152/2009, Gravimetry	100 ,0	g/100 g	
UDJFR	Total Trans Fatty Acids (A)	CHROM/215, GC-FID	0 ,152	g/100 g fat	
UDPR2	C20:5(n-3)cis Eicosapentenoic acid (EPA) (A)	Metoda wewnętrzna , GC-FID	32200	mg/100 g	
	C22:6(n-3)cis Docosahexaenoic (DHA) (A)		21100	mg/100 g	

= Not accredited

A = Method accredited

x = Data provided by the customer

Details of laboratory accreditation:

DJ510: Eurofins Vitamin Testing Denmark 0001: (Not accredited)

UD003, UDJFR, UDPR2: Eurofins Food Testing UK Ltd (Wolverhampton) RE000DR: BS EN ISO/IEC 17025:2017 UKAS 0342

JJO15: Eurofins Analytik GmbH 0001: (Not accredited)

J7142, JK04T: Eurofins Analytik GmbH RE000DM: DIN EN ISO/IEC 17025:2018 DAkkS D-PL-14251-01-00

KT02C, KT0A2, KT0A3: Eurofins Environment Testing Slovakia Turčianske RE000HB: ISO/IEC 17025:2017 SNAS S-406



Approved by: Alicja Milczarek
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.