

TEST REPORT NO 125317/23/GDY/2

Client SFD SPÓŁKA AKCYJNA GŁOGOWSKA 41 45315 OPOLE		Sample (according to declaration of Client) Sample description: SFD CITRULINE 200 g LEMON LIME Batch: 5E2.T32 Expiry date: 31.07.2024
Sample reception date:	10.03.2023	Sample status: no objections Sample received from the Client
Start of analysis	15.03.2023	
End of analysis	20.03.2023	
Test report date	21.03.2023	

Test Method	Unit	Result
* Number of yeasts and moulds at 25°C PN-ISO 21527-2:2009 (withdrawn)		
Number of yeasts	cfu/g	<1,0x10 ¹
Number of moulds	cfu/g	<1,0x10 ¹
* Presence of coagulase-positive staphylococci (Staphylococcus aureus and other species) in 1 g PN-EN ISO 6888-3:2004; PN-EN ISO 6888-3:2004/AC:2005	in 1 g	Not detected
* Presence of Escherichia coli in 1 g PN-ISO 7251:2006	in 1 g	Not detected
* Presence of Salmonella spp. in 25 g PN-EN ISO 6579-1:2017-04; PN-EN ISO 6579-1:2017-04/A1:2020-09	in 25 g	Not detected
* Presence of Listeria monocytogenes in 25 g PN-EN ISO 11290-1:2017-07	in 25 g	Not detected

Authorized by:
Anna Polanin, Manager, Microbiology Laboratory

The test report bears the certified electronic seal of J.S. Hamilton Poland Sp. z o.o.

Laboratory address:
Ks. Stanisława Kujota 8, 70-605 Szczecin

THE END OF THE REPORT

The results refer only to the samples received. When a measurement uncertainty is given, it is an expanded uncertainty estimated for a coverage factor k=2 at 95% confidence level and is not including sampling uncertainty, unless otherwise stated. When the conformity is stated J.S. Hamilton Poland Sp. z o.o. applies the simple acceptance decision rule in accordance with ILAC-G8:09/2019, unless otherwise reported. If the "result" column of the accredited method contains a record: "<" or ">", it means, that it is the test outcome directly related to the lower or upper limit of the measuring range of the accredited method, whereas the given expanded measurement uncertainty relates only to the lower or upper limit of the measuring range of the accredited method respectively. In such a case, the Laboratory presents the opinion and interpretation in the "statement of conformity" column, which is based on the obtained test outcome. This test report may not be copied in part without the prior written permission of J.S. Hamilton Poland Sp. z o.o. The responsibility of J.S. Hamilton Poland Sp. z o.o. is limited solely to the data issued in its original. J.S. Hamilton Poland Sp. z o.o. does not permit the use of the PCA accreditation symbol AB 079 by customers, subcontractors, external service providers and other third parties. For further information please refer to the PCA document - DA-02. The service confirmed by this report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl.

* Test method accredited
Test performed by external provider